



Building Chemicals

Maintenance Sprays & Lubricants

- Multi-Purpose Lubricant 195
- Silicone Lubricant 196
- Copper Anti-Seize 197
- White Lithium Grease 197
- Chain Lubricant 198
- Cutting & Tapping Lubricant 198
- Welder's Anti-Spatter 198
- Air & Gas Leak Detector 198
- Oil & Grease Remover 198

Paints

- Survey & Spot Marker 195
- Very High Temperature Paint 196
- Finishing Paint 197
- Cold Galvanising Paint 197
- Primer 198

Brummer Wood Fillers

- Interior Wood Filler 195
- Exterior Wood Filler 196

Briwax Wax & Oils

- Finishing Wax & Spray 195
- Wax & Sticks 196

Metolux Fillers

- Wood Fillers 195
 - All Purpose Fillers 196
 - Liquid Mortar 195
 - Epoxy Building Adhesive 196
- 

Maintenance Sprays & Lubricants



Silicone Lubricant



Formulated for applications where there are plastic or rubberised components, due to the absence of any chemicals which cause hardening and splitting.

Ideal for: window seals and slides, runners, bearings, o-rings, textile equipment and more.

Features:

- Low odour
- Long lasting
- No heavy hydrocarbons that can cause cracking, squeaking, splitting and hardening
- Heat resistant from -50°C to +200°C



PROTECTS



LUBRICATES



REDUCES FRICTION


LOW ODOUR
NON STAINING

TEMPERATURE
RESISTANT

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237357	380ml	12	12	1140
TYPE - AER		SUB TYPE - AER01		



Multi-Purpose Lubricant



Developed to penetrate, loosen, maintain, protect and clean metal surfaces.

Ideal for: Drying electrical systems, stopping hinges and latches from squeaking, maintaining locking mechanisms, reducing tool wear and tear, priming ignition systems, loosening seized nuts and bolts and much more.

Features:

- Premium quality oil suspended in a low viscosity dispersing fluid
- Specially formulated to rapidly penetrate into hard to reach areas
- Excellent moisture repelling properties
- Maintains lasting performance of a variety of metal components
- Heat resistant from -50°C to +200°C



PROTECTS



LUBRICATES



DEGREASES



360°
SPRAY VALVE

WATER
RESISTANT

RESISTS
CORROSION

TEMPERATURE
RESISTANT

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237789	480ml	12	12	912
TYPE - AER		SUB TYPE - AER01		



Copper Anti-Seize



A premium pure copper lubricant with a graphite additive, suspended in a high quality grease.

It maintains and protects Steel, Stainless Steel, Cast Iron, Copper & Brass components from high temperatures, corrosion and seizure.

Ideal for all automotive, industrial and construction uses including: threaded fasteners, brake pads and callipers, manifolds and exhausts, boiler parts, flanges and pipes.

Features:

- The graphite additive allows for easy assembly and dismantling of a wide range of metal applications
- Copper formulation resists high temperatures
- Heat resistant up to 1100°C



PROTECTS



LUBRICATES


HEAVY
DUTY

WATER
RESISTANT


ANTI-FUSION


EXTREME
TEMPERATURE

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237456	380ml	12	12	1140
TYPE - AER		SUB TYPE - AER01		



White Lithium Grease



An opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance.

Ideal for industrial, marine and automotive applications where water ingress can be detrimental to lubrication.

Features:

- Highly visible
- Extremely effective in areas requiring water resistance
- Heat resistant from -20°C to +140°C



LUBRICATES



REDUCES FRICTION



HIGH WATER RESISTANCE



RESISTS CORROSION



TEMPERATURE RESISTANT

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237482	380ml	1	12	1140

TYPE - AER

SUB TYPE - AER01



Chain Lubricant



Designed to penetrate, maintain, protect and clean chain, wire rope and moving metal parts.

The high viscosity formula gives excellent lubricant retention, preventing "filing off" and unnecessary wear and maintenance.

Ideal for: chain, gears, wire rope, pulleys, rollers, bearings and more.

Features:

- The Molybdenum disulphide additive gives exceptional long lasting friction reduction
- Prolongs the performance and lifespan of moving metal parts and surfaces
- Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments



ANTI-FLING



LUBRICATES



MO₂ ADDITIVE



WATER RESISTANT



DIRT & GRIME RESISTANT

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237123	380ml	1	12	1140

TYPE - AER

SUB TYPE - AER01



Cutting & Tapping Lubricant



Formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life, and ensure a consistent high quality surface finish.

Ideal for: all machine shops, tool-rooms and maintenance departments.

Features:

- Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- Improves tooling accuracy
- Suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel
- Complete with an easy-to-use 360° spray nozzle, for precise application in hard to reach and confined spaces.



360° SPRAY VALVE



LUBRICATES



REDUCES FRICTION



ANTI-GALLING



PROLONGS TOOL LIFE

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237159	380ml	1	12	1140

TYPE - AER

SUB TYPE - AER01



Welder's Anti-Spatter



Specifically formulated to eliminate the need to remove unsightly spatter from welds, working areas and equipment, significantly reducing working time.

Features:

- Can be easily removed after welding
- Low odour and colourless
- Silicone and petroleum free, so does not interfere with post welding coatings



ODOURLESS



NO COLOUR



NON-FLAMMABLE



QUICK DRYING



RESISTS CORROSION

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237560	300ml	1	12	1140

TYPE - AER

SUB TYPE - AER01



Air & Gas Leak Detector



Professional formulation, designed to quickly and reliably detect the smallest leak in pressurised systems.

Ideal for: refrigeration units, air conditioning systems, exhausts, pipes, valves, screw connectors, welding seams, compressed air lines and compressors.

Features:

- Water based
- Reacts instantly upon contact with gas and air pressure, forming a stream of bubbles to identify the leak
- Complete with an easy-to-use 360° spray nozzle, for precise application in hard to reach and confined spaces



SAFE REACTION



360° SPRAY VALVE



NON-FLAMMABLE



INSTANT REACTION



EASY APPLICATION

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237023	300ml	1	12	1140

TYPE - AER SUB TYPE - AER01



Oil & Grease Remover



A solvent based degreaser, which penetrates, lifts and easily removes heavy oils, grease and tar deposits from most metals and hard plastic surfaces.

Ideal for: automotive, industrial, general workshop maintenance, and surface preparation prior to applying paints, sealants and adhesives.

Features:

- Powerful degreasing performance
- Highly effective at penetrating and lifting unwanted contaminants
- Immediately emulsifies with water
- Leaves the surface clean and residue free



ENGINE DEGREASER



REMOVES TAR SPOTS



QUICK DRYING



REMOVES DIRT & GRIME



DEGREASES

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237156	380ml	1	12	1140

TYPE - AER SUB TYPE - AER03



Paints

Survey & Spot Marker



A rapid drying marking paint for applying semi-permanent markings to soil, grass, concrete and most hard surfaces.

Ideal for a variety of uses including: highway maintenance, site excavation, turf marking, landscaping and marking cable positions prior to drilling and cutting.

Lasts at least 3 months on most hard surfaces. Applications to wet and damp surfaces may decrease performance.

Features:

- Contains built-in bright colour pigments for a bold finish
- Includes a heavy duty, non clogging nozzle for inverted use
- Includes dual trigger pads for compatibility with survey marking applicators

Suitable for:

- Soil
- Concrete
- Grass
- Gravel
- Asphalt
- Wood
- Composite
- Brick
- Metal



Product Code	Size	Colour	Application*	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
237369	750ml	White	General Marker	1	12	684
237025	750ml	Yellow	General Marker	1	12	684
237798	750ml	Blue	Water	1	12	684
237206	750ml	Red	Electricity	1	12	684
237047	750ml	Green	Cablework	1	12	684
237225	750ml	Black	Covering old lines	1	12	684
237900	750ml	Orange	Hazards	1	12	684

TYPE - AER SUB TYPE - AER02



FAST DRYING



LONG LASTING



HIGH VISIBILITY



INTERNAL & EXTERNAL



HARD WEARING



EASY APPLICATION



ANTI-CLOG NOZZLE

* Survey marking applications include but are not limited to the following

Very High Temperature Paint



A durable, corrosion resistant coating formulated to withstand temperatures of up to 650°C.

Ideal for: stoves, heaters, fire places and surrounds, boiler flues, machinery, exhausts, radiators, incinerators, furnaces and more.

Features:

- During the curing process a heat resistant silicone matrix is formed
- A hard-wearing heat and flame resistant protective coating for metal surfaces subjected to extreme heat
- The single coat, primerless and fast drying formula gives a non-drip and run free application.
- Heat resistant to +650°C



PROTECTS



QUICK DRYING



HARD WEARING



INTERNAL & EXTERNAL



EXTREME TEMPERATURE

Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
237896	380ml	Black	1	12	1140

TYPE - AER

SUB TYPE - AER02

Cold Galvanising Paint



A premium quality zinc spray that gives excellent corrosion resistance, as either a primer or topcoat of metals after grinding, welding, cutting and drilling.

Ideal for: threaded fasteners, exposed metal edges and welds, conduit, fencing and railings, gates, signs, doors, guard rails and more.

Features:

- Sacrificial zinc coating forms a hard-wearing bond to ferrous metals
- The high zinc purity blends with previously galvanised coatings
- Gives a professional finish or a suitable base layer for acrylic, alkyd, p/u alkyd and epoxy paints
- Actively fights rust and corrosion



PROTECTS



QUICK DRYING



PAINTABLE



HARD WEARING



INTERNAL & EXTERNAL



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
237750	380ml	Galvanised Zinc	1	12	1140

TYPE - AER

SUB TYPE - AER02

Finishing Paint



A multi-purpose acrylic based finishing paint designed to give a professional and corrosion resistant finish to most substrates including: ferrous metals, stainless steel, aluminium, plaster, wood and some plastics.

Ideal for: ironmongery, garden furniture, decorative fixtures, concealing unsightly surfaces and repairing damaged paint surfaces.

Features:

- The fast drying, UV resistant and flexible formula gives a drip-free application
- Enhanced colour pigments for a long lasting finish
- Heat resistant from -50°C to +80°C



PROTECTS



QUICK DRYING



HARD WEARING



INTERNAL & EXTERNAL



RESISTS CORROSION



TEMPERATURE RESISTANT

Product Code	Size	Colour	Carton Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
237128	380ml	Matt Black	1	12	1140
237190	380ml	Gloss Black	1	12	1140

TYPE - AER

SUB TYPE - AER02

Primer



Formulated to maximise the adhesion of finishing paints to metals and hard plastics.

Ideal for: welded seams, machinery and equipment, ironmongery, fences, gates and commercial steelwork.

Features:

- The corrosion resistant properties enhance the finish paint performance
- Protects exposed metal surfaces after welding and fabrication
- Excellent high build formula fills and masks surface imperfections, resulting in a smooth and consistent finish
- Heat resistant from -50°C to +80°C



QUICK DRYING



RESISTS CORROSION



CONCEALS IMPERFECTIONS



INTERNAL & EXTERNAL



TEMPERATURE RESISTANT



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
237320	380ml	Red Oxide	1	12	1140
237480	380ml	Grey	1	12	1140

TYPE - AER

SUB TYPE - AER02

New Range!

BRUMMER

Brummer are the leading range of one-part wood fillers available today, it is a name synonymous with craftsmanship and quality.

Manufactured using the best quality raw materials, our products have been tried and tested for over 80 years by wood craftsmen and leading furniture and joinery manufacturers.

Brummer has the most comprehensive range of fillers available, including interior and exterior grades, a wide range of natural wood colours and sizes to suit every application.



Interior Wood Filler



Ideal for repairing furniture, doors, skirting boards, wooden floors and mouldings. Heat proof (up to 90°C), works equally well on most metals and can be used under nearly all types of decorative finish including polish, lacquer, varnish and paint.

Highly versatile, it can be used outside if varnished or painted over and mixed with other Brummer wood filler colours of the same type. It can be drilled and sanded just like wood itself, or stained with a proprietary stain to achieve any desired shade.

Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
TIN				
BM20401	White	250g	1	6
BM20402	Pine	250g	1	6
BM20403	Light Oak	250g	1	6
BM20404	Natural Oak	250g	1	6
BM20405	Medium Oak	250g	1	6
BM20406	Dark Oak	250g	1	6
BM20407	Light Mahogany	250g	1	6
BM20408	Medium Mahogany	250g	1	6
BM20409	Dark Mahogany	250g	1	6
BM20410	Light Walnut	250g	1	6
BM20411	Teak	250g	1	6
BM20412	Ebony	250g	1	6
BM20413	Standard	250g	1	6
BM20414	Beech	250g	1	6
BM20415	Maple	250g	1	6
BM20416	Black	250g	1	6

TYPE - BFL

SUB TYPE - BFL01

Exterior Wood Filler



Brummer Exterior Wood Filler is ready mixed, waterproof and can be used under most types of decorative finish including polish, lacquer, varnish and paint.

It is also impervious to sea-water and can be used for most marine applications as it will not shrink or crack and, just like wood itself, Brummer Exterior Wood Filler can be drilled and sanded. It can also be used on concrete, plaster, fibreglass and stonework.

Ideal for window frames, garden furniture, caravans, and many marine applications.

Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
TIN				
BM10701	White	225g	1	6
BM10702	Pine	225g	1	6
BM10703	Light Oak	225g	1	6
BM10704	Natural Oak	225g	1	6
BM10705	Medium Oak	225g	1	6
BM10706	Dark Oak	225g	1	6
BM10707	Light Mahogany	225g	1	6
BM10708	Medium Mahogany	225g	1	6
BM10709	Dark Mahogany	225g	1	6
BM10710	Light Walnut	225g	1	6
BM10711	Teak	225g	1	6
BM10712	Ebony	225g	1	6
BM10713	Standard	225g	1	6
BM10714	Beech	225g	1	6

TYPE - BFL

SUB TYPE - BFL01

Counter Display



A counter top display unit containing 24 of the most popular colours of Brummer Interior & Exterior Wood Filler.

Contents include: 12 x 250g Interior and 12 x 225g Exterior in White, Pine, Light Oak, Medium Oak, Dark Oak and Natural Oak.

Product Code	Colour	Size	Qty (pcs)	CDU Qty
CDU				
BM500			24	1
Interior	White	250g	2	
Interior	Pine	250g	2	
Interior	Light Oak	250g	2	
Interior	Natural Oak	250g	2	
Interior	Medium Oak	250g	2	
Interior	Dark Oak	250g	2	
Exterior	White	225g	2	
Exterior	Pine	225g	2	
Exterior	Light Oak	225g	2	
Exterior	Natural Oak	225g	2	
Exterior	Medium Oak	225g	2	
Exterior	Dark Oak	225g	2	

TYPE - BFL

SUB TYPE - BFL01

New Range!

BRIWAX

Briwax makes leading luxury wood finishes in England for discerning wood lovers and furniture makers.

The Briwax Product range has been carefully selected from the finest traditional trade finishes drawing on 150 years of experience supplying furniture manufacturers. Many of the Briwax polishes and products are based on the original formulas developed to meet the quality demands of the professional finisher.

Original Finishing Wax



Briwax Original is formulated with fast drying, stronger solvents which speed up drying and also increase the cleaning ability of the wax slightly. This means that it will renovate older dirtier furniture and leave you with the deep grain enriching Briwax shine. Unsealed wooden surfaces should be smooth, dry and clean.



Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
TIN				
BW0501241521	Honey	400g	1	36
BW0501464821	Teak	400g	1	36
BW0502000021	Clear	400g	1	36
BW0502101221	Antique Brown	400g	1	36
BW0502101421	Antique Mahogany	400g	1	36
BW0502101521	Antique Pine	400g	1	36
BW0502143121	Tudor Oak	400g	1	36
BW0502161321	Dark Oak	400g	1	36
BW0502280321	Jacobean	400g	1	36
BW0502341921	Medium Brown	400g	1	36
BW0502403621	Old Pine	400g	1	36
BW0502445621	Rustic Pine	400g	1	36
BW0502464721	Spanish Mahogany	400g	1	36
BW0502540121	Walnut	400g	1	36
BW0303000005	Clear	5L	1	4
BW0303101205	Antique Brown	5L	1	4
BW0303101505	Antique Pine	5L	1	4
BW0303280305	Jacobean	5L	1	4
BW0303341905	Medium Brown	5L	1	4
BW0303445605	Rustic Pine	5L	1	4

TYPE - BWX

SUB TYPE - BWX01

Spray Wax



The grain enhancing beauty of a Briwax finish, in an easy to use, convenient aerosol pack.

Can be used in exactly the same way as Briwax or as a regular maintenance product for most types of furniture. Contains no silicones.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
CAN		
BW9301000018	1	6
TYPE - BWX	SUB TYPE - BWX01	

Quick Dry Hard Wax Oil



Briwax Hard Wax Oil is a water based clear satin finish that is hard wearing, water and stain resistant that will dry to an attractive, durable, natural finish. Suitable for use on internal woodwork subject to a high degree of wear,

Brings out the natural beauty of the wood, making the colours richer. Easy to apply and maintain, leaving a wear, water- and stain-resistant finish to woodwork.

Product Code	Colour	Size	Pack Qty (pcs)	Carton Qty (packs)
TIN				
BW01LW1000	Satin	1L	1	3
BW01LW2500	Satin	2.5L	1	2
TYPE - BWX	SUB TYPE - BWX01			

Beeswax Stick



Pure Beeswax Filler Sticks are ideal for furniture restoration to fill small cracks and holes. This wax is also handy for odd jobs around the house.

Product Code	Pack Qty (pcs)	Carton Qty (packs)
PACK		
BWBEWS	1	6
TYPE - BWX	SUB TYPE - BWX01	

Wax Filler Sticks



Wax Filler Sticks are for the repair of scratches, cracks and small holes on wooden and plastic surfaces. They are available in dark, medium, light and grey. The Wax Filler Sticks are ideal for small damaged areas of furniture.

Apply using light pressure with the tip of the spatula and clean off surplus to leave a smooth flat surface. Each pack contains 4 shades to help with colour matching. For a close colour match, blend different shades of soft wax by successive applications using light to dark colours.

Product Code	Colour	Pack Qty (pcs)	Carton Qty (packs)
PACK			
BWSWSLGT	Light Shades	1	6
BWSWSMED	Medium Shades	1	6
BWSWSDK	Dark Shades	1	6
BWSWSGRY	Grey Shades	1	6
TYPE - BWX	SUB TYPE - BWX01		

Metolux®



UK MANUFACTURED PROFESSIONAL TRADE FILLERS & ADHESIVES

The Metolux range draws from over 60 years' experience in the construction industry. Consisting of a wide range of building chemical products including timber repair fillers and high strength epoxy adhesives. All have been specifically formulated for professional results in a variety of specialist applications.



1 Part Wood Filler

Metolux 1 Part Wood Filler is a pre-coloured high strength polyester wood filler. Used for the filling and repair of small pinholes and cracks up to 5mm deep in timber. Particularly suited to flat face-up applications and for materials such as MDF and chipboard.

Features:

- Fast drying
- Easy application
- Easy to sand
- Handy 250ml pack size
- Ideal for interior use - very low odour



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
65388	250ml	White	1	6
65389	250ml	Pine	1	6
65390	250ml	Light Oak	1	6
65394	250ml	Dark Oak	1	6

TYPE - MFL

SUB TYPE - MFL01

2 Part Styrene Free Wood Filler




Metolux 2 Part Styrene Free Wood Filler is a two component high strength polyester wood filler. It provides a strong high quality repair to wood imperfections.

Supplied in pre-coloured blends to match your wood type. The weatherproof formulation is ideal for internal and external applications with additives to help flex with the natural movement of timber

Features:

- Professional Grade
- Easy to mix
- Easy to sand
- Can be painted, stained, varnished and waxed
- Non slump



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
65431	275ml	White	1	6
65432	770ml	White	1	6
65433	3.3L	White	1	2
65437	275ml	Pine	1	6
65438	770ml	Pine	1	6
65439	3.3L	Pine	1	2
65440	275ml	Light Oak	1	6
65441	770ml	Light Oak	1	6
65442	3.3L	Light Oak	1	2
65434	275ml	Dark Teak	1	6
65435	770ml	Dark Teak	1	6
65443	275ml	Light Redwood	1	6
65444	770ml	Light Redwood	1	6
65446	275ml	Dark Mahogany	1	6
65447	770ml	Dark Mahogany	1	6

TYPE - MFL

SUB TYPE - MFL01

2 Part Decor All Purpose Filler



Metolux 2 Part Universal Decor Filler is a fast hardening two component polyester filling paste for the repairing of holes and surface imperfections in a wide range of materials including wood, metal, concrete, plaster and fibreglass.

Features:

- Easy to sand after 20 minutes
- Easy to blend



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
65425	500g	Light Grey	1	6	
65427	1.5kg	Light Grey	1	6	
65428	6.0kg	Light Grey	1	2	

TYPE - MFL

SUB TYPE - MFL01

Metolux Hardener



Spare hardener for use with:

- 2 Part Styrene Free Wood Filler
- 2 Part Decor All Purpose Filler

Product Code	Size	Pack Qty (pcs)	Carton Qty (packs)
78792P	40g	2	10

TYPE - MFL

SUB TYPE - MFL01

2 Part Metoset Liquid Mortar



Metolux 2 Part Liquid is a two component polyester liquid mortar for crack and chip repair. Alternatively it can be used to fix threaded rod or rebar into concrete, stone or plain brick. Ideal for filling cracks and cavities in difficult to reach areas.

Features:

- Easy to apply
- Rapid setting
- Internal & external use
- Paintable
- Useful to fill cavities, cracks or difficult access areas
- High mechanical and physical resistance



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
65628	1.0kg	Grey	1	6
65627	5.0kg	Grey	1	2

TYPE - MFL

SUB TYPE - MFL01

Metobond 1-1 Epoxy Building Adhesive



General Purpose Epoxy Building Adhesive, Metolux Metobond has a thixotropic mixed consistency. It is designed predominantly for vertical and overhead applications and is offered as an extremely powerful structural adhesive with high chemical resistance.

Suitable for use with Concrete materials, Brick & Mortar or Stone, Ceramic, Tile or Glass elements, Iron, Aluminium, Copper, Marble, Wooden structures, adhesive or repair applications, bedding in (eg floor tiles), gap & crack filling in voids, grouting. Ideal for horizontal (overhead) or vertical use.

Features:

- Ready to use
- Easy to apply (thixotropic)
- Suitable for use in damp conditions
- Non shrink epoxy
- High level of chemical resistance
- Easy to pigment
- Excellent structural characteristics
- Adheres to almost any surface
- Superior sealant qualities
- Cures down to 5°C
- Re-usable unit



Product Code	Size	Colour	Pack Qty (pcs)	Carton Qty (packs)
65379	10.0kg	Light Grey	1	10

TYPE - MFL

SUB TYPE - MFL01



Chemical Resin

Our Chemical Resin range offers an effective anchoring system for fixing into concrete and masonry.

The stress-free nature of this solution gives greater flexibility when anchoring closer to a substrate edge such as balustrade installation.

See Page
97




- ✓ Ready to Use
- ✓ Uses Standard Tools
- ✓ T-FLOW™ Nozzle Included


- ✓ Low Extrusion Force
- ✓ Less Wastage
- ✓ No Leakage

- ✓ Faster and Easier to Use
- ✓ Close Edge and Axial Spacing


Instruction Guide



Drill correct size hole for your fixing.



Blow out any debris from the hole.



Brush the hole to ensure sides are clean.




Blow out any debris.


Steps 2-4 Repeat x4




Extrude unmixed resin to waste



Pump the resin to fill 2/3 of the hole.



Insert fixing by slowly rotating



Leave to cure for the stated time